

Electronic Acknowledgement Receipt

| | |
|--|--|
| EFS ID: | 1089851 |
| Application Number: | 10758737 |
| Confirmation Number: | 6381 |
| Title of Invention: | Reinforced component |
| First Named Inventor: | Kevin T. Burt |
| Customer Number: | 8698 |
| Filer: | Jeffrey C. Norris/Trisha Beachy-Bryant |
| Filer Authorized By: | Jeffrey C. Norris |
| Attorney Docket Number: | CPL1538-223 |
| Receipt Date: | 23-JUN-2006 |
| Filing Date: | 16-JAN-2004 |
| Time Stamp: | 12:03:08 |
| Application Type: | Utility |
| International Application Number: | |

Payment information:

| | |
|------------------------|----|
| Submitted with Payment | no |
|------------------------|----|

File Listing:

| Document Number | Document Description | File Name | File Size(Bytes) | Multi Part | Pages |
|-----------------|--|---|------------------|------------|-------|
| 1 | Information Disclosure Statement (IDS) Filed | US_IDS_Form__SB_08a_8_CPL1538-223_6-23-06.pdf | 1030527 | no | 8 |

| | | | | | |
|--|---------------|--|---------|----|----|
| Warnings: | | | | | |
| Information: | | | | | |
| A U.S. Patent Number Citation or a U.S. Publication Number Citation is required in the Information Disclosure Statement (IDS) form for autoloading of data into USPTO systems. You may remove the form to add the required data in order to correct the Informational Message if you are citing U.S. References. If you chose not to include U.S. References, the image of the form will be processed and be made available within the Image File Wrapper (IFW) system. However, no data will be extracted from this form. Any additional data such as Foreign Patent Documents or Non Patent Literature will be manually reviewed and keyed into USPTO systems. | | | | | |
| 2 | NPL Documents | NPL_ASTM_StandardTerminologyRelatingToWood-BasedFiberAndParticlePanelMaterials.pdf | 316041 | no | 4 |
| Warnings: | | | | | |
| Information: | | | | | |
| 3 | NPL Documents | NPL_BendtsenEtAl_MechanicalPropertiesOfWood.pdf | 2445331 | no | 40 |
| Warnings: | | | | | |
| The page size in the PDF is too large. The pages should be 8.5 x 11 or A4. If this PDF is submitted, the pages will be resized upon entry into the Image File Wrapper and may affect subsequent processing | | | | | |
| Information: | | | | | |
| 4 | NPL Documents | NPL_BibliographyOfSolidPhaseExtrusion.pdf | 278775 | no | 9 |
| Warnings: | | | | | |
| Information: | | | | | |
| 5 | NPL Documents | NPL_BrzoskowskiEtAl_AirLubricatedDieForExtrusionOfRubberCompunds.pdf | 487983 | no | 12 |
| Warnings: | | | | | |
| Information: | | | | | |
| 6 | NPL Documents | NPL_CampbellEtAl_TheReinforcementOfThermoplasticElastomersWithSantowebFibre.pdf | 552063 | no | 10 |
| Warnings: | | | | | |
| Information: | | | | | |
| 7 | NPL Documents | NPL_CollierEtAl_HighStrengthExtrudatesByMeltTransformationCoextrusion.pdf | 466296 | no | 6 |
| Warnings: | | | | | |
| Information: | | | | | |
| 8 | NPL Documents | NPL_CollierEtAl_StreamlinedDiesAndProfileExtrusion.pdf | 318659 | no | 4 |
| Warnings: | | | | | |
| Information: | | | | | |

| | | | | | |
|--|---------------|--|---------|----|----|
| 9 | NPL Documents | NPL_CompanyNews_Plastic sIndustryNews.pdf | 127029 | no | 2 |
| Warnings: | | | | | |
| Information: | | | | | |
| 10 | NPL Documents | NPL_DalvagEtAL_TheEfficie ncyOfCellulosicFillersInCom monThermoplastics.pdf | 1082915 | no | 16 |
| Warnings: | | | | | |
| The page size in the PDF is too large. The pages should be 8.5 x 11 or A4. If this PDF is submitted, the pages will be resized upon entry into the Image File Wrapper and may affect subsequent processing | | | | | |
| Information: | | | | | |
| 11 | NPL Documents | NPL_Doroudiani_StructureA ndMechanicalPropertiesStud yOfFoamedWoodFiberPolyet hylenComposites.pdf | 295059 | no | 5 |
| Warnings: | | | | | |
| Information: | | | | | |
| 12 | NPL Documents | NPL_EINEngineeringInc_Ma kingWoodFromWasteWoodA ndWastePlasticUsingEINTec hnology.pdf | 2513086 | no | 16 |
| Warnings: | | | | | |
| Information: | | | | | |
| 13 | NPL Documents | NPL_EINEngineeringInc_Wo odLikeMaterialSuperiorToRe alWood.pdf | 1005478 | no | 5 |
| Warnings: | | | | | |
| Information: | | | | | |
| 14 | NPL Documents | NPL_EnglishEtAl_Wastewoo dDerivedFillersForPlastics.p df | 1523841 | no | 16 |
| Warnings: | | | | | |
| Information: | | | | | |
| 15 | NPL Documents | NPL_FiberlocPolymerCompo sites_Section1.pdf | 695146 | no | 7 |
| Warnings: | | | | | |
| The page size in the PDF is too large. The pages should be 8.5 x 11 or A4. If this PDF is submitted, the pages will be resized upon entry into the Image File Wrapper and may affect subsequent processing | | | | | |
| Information: | | | | | |
| 16 | NPL Documents | NPL_FillersForThermoplastic sBeyondResinStretching_Mo dernPlasticsInternational.pdf | 432991 | no | 4 |
| Warnings: | | | | | |
| Information: | | | | | |

| | | | | | |
|--|---------------|--|---------|----|----|
| 17 | NPL Documents | NPL_FillThermoplasticsWithWood_ModernPlastics.pdf | 170106 | no | 2 |
| Warnings: | | | | | |
| Information: | | | | | |
| 18 | NPL Documents | NPL_ForestProductsLaboratory_WoodHandbookWoodAsAnEngineeringMaterial.pdf | 107323 | no | 2 |
| Warnings: | | | | | |
| Information: | | | | | |
| 19 | NPL Documents | NPL_FromSwedenExtrudedInteriorTrimMadeOfPVCAndWoodFluor_PlasticBuildingConstruction.pdf | 189046 | no | 2 |
| Warnings: | | | | | |
| Information: | | | | | |
| 20 | NPL Documents | NPL_Gatenholm_TheEffectOfChemicalCompositionOfInterphasOnDispersionOfCelluloseFibersInPolymers.pdf | 990566 | no | 12 |
| Warnings: | | | | | |
| Information: | | | | | |
| 21 | NPL Documents | NPL_HenriciOliveEtAl_IntegralStructuralPolymerFoams.pdf | 880523 | no | 13 |
| Warnings: | | | | | |
| Information: | | | | | |
| 22 | NPL Documents | NPL_KlasonEtAl_TheEfficiencyOfCellulosicFillersInCompositesOnThermoplastics.pdf | 1056961 | no | 14 |
| Warnings: | | | | | |
| The page size in the PDF is too large. The pages should be 8.5 x 11 or A4. If this PDF is submitted, the pages will be resized upon entry into the Image File Wrapper and may affect subsequent processing | | | | | |
| Information: | | | | | |
| 23 | NPL Documents | NPL_KoktaEtAl_CompositesOfPolyVinylChlorideAndWoodFibersII.pdf | 505552 | no | 6 |
| Warnings: | | | | | |
| Information: | | | | | |
| 24 | NPL Documents | NPL_KoktaEtAl_CompositesOfPolyVinylChlorideWoodFibersI.pdf | 978901 | no | 32 |
| Warnings: | | | | | |
| The page size in the PDF is too large. The pages should be 8.5 x 11 or A4. If this PDF is submitted, the pages will be resized upon entry into the Image File Wrapper and may affect subsequent processing | | | | | |
| Information: | | | | | |

| | | | | | |
|--|---------------|---|---------|----|----|
| 25 | NPL Documents | NPL_KoktaEtAl_CompositesOfPolyVinylChlorideWoodFibersIII.pdf | 807783 | no | 9 |
| Warnings: | | | | | |
| Information: | | | | | |
| 26 | NPL Documents | NPL_KoktaEtAl_UseOfGraftedWoodFibersInThermoplasticCompositesVPolystyrene.pdf | 201726 | no | 5 |
| Warnings: | | | | | |
| The page size in the PDF is too large. The pages should be 8.5 x 11 or A4. If this PDF is submitted, the pages will be resized upon entry into the Image File Wrapper and may affect subsequent processing | | | | | |
| Information: | | | | | |
| 27 | NPL Documents | NPL_KoktaEtAl_UseOfWoodFibersInThermoplasticComposites.pdf | 312130 | no | 4 |
| Warnings: | | | | | |
| Information: | | | | | |
| 28 | NPL Documents | NPL_KowalskaEtAl_ModificationOfRecyclatesOfPolyethyleneAndPolyVinylChlorideWithScrapPaper.pdf | 1533778 | no | 10 |
| Warnings: | | | | | |
| Information: | | | | | |
| 29 | NPL Documents | NPL_Lightsey_OrganicFillersForThermoplastics.pdf | 770513 | no | 19 |
| Warnings: | | | | | |
| Information: | | | | | |
| 30 | NPL Documents | NPL_MaldasEtAl_CompositesOfPolyvinylChlorideWoodFibers.pdf | 743061 | no | 9 |
| Warnings: | | | | | |
| Information: | | | | | |
| 31 | NPL Documents | NPL_MaldasEtAl_ImprovingAdhesionOfWoodFiberWithPolystyrene.pdf | 490094 | no | 11 |
| Warnings: | | | | | |
| Information: | | | | | |
| 32 | NPL Documents | NPL_Maloney_ModernParticleboardDryProcessFiberboardManufacturing.pdf | 361197 | no | 6 |
| Warnings: | | | | | |
| Information: | | | | | |
| 33 | NPL Documents | NPL_MyersEtAl_CompositesFromPlasticsAndWoodBasedFillers.pdf | 819869 | no | 15 |

| | | | | | |
|--|---------------|---|--------|----|----|
| Warnings: | | | | | |
| Information: | | | | | |
| 34 | NPL Documents | NPL_MyersEtAl_EffectsOfCompositionAndPolypropyleneMeltFlowOnPolypropyleneWasteNewsper.pdf | 255030 | no | 4 |
| Warnings: | | | | | |
| Information: | | | | | |
| 35 | NPL Documents | NPL_MyersEtAl_WoodFlourAndPolypropyleneOrHighDensityPolyethylenComposites.pdf | 596547 | no | 8 |
| Warnings: | | | | | |
| The page size in the PDF is too large. The pages should be 8.5 x 11 or A4. If this PDF is submitted, the pages will be resized upon entry into the Image File Wrapper and may affect subsequent processing | | | | | |
| Information: | | | | | |
| 36 | NPL Documents | NPL_PanshinEtAl_ForestProductsTheirSourcesProductionAndUtilization.pdf | 453926 | no | 8 |
| Warnings: | | | | | |
| Information: | | | | | |
| 37 | NPL Documents | NPL_PornnimitEtAl_ExtrusionOfSelfReinforcedPolyethylene.pdf | 538532 | no | 9 |
| Warnings: | | | | | |
| The page size in the PDF is too large. The pages should be 8.5 x 11 or A4. If this PDF is submitted, the pages will be resized upon entry into the Image File Wrapper and may affect subsequent processing | | | | | |
| Information: | | | | | |
| 38 | NPL Documents | NPL_RajEtAl_TheInfluenceOfCouplingAgentsOnMechanicalPropertiesOfCompositesContaining.pdf | 595258 | no | 15 |
| Warnings: | | | | | |
| Information: | | | | | |
| 39 | NPL Documents | NPL_RajEtAl_UseOfWoodFiberAsFillerInCommonThermoplasticsStudiesOnMechanicalProperties.pdf | 650373 | no | 14 |
| Warnings: | | | | | |
| The page size in the PDF is too large. The pages should be 8.5 x 11 or A4. If this PDF is submitted, the pages will be resized upon entry into the Image File Wrapper and may affect subsequent processing | | | | | |
| Information: | | | | | |
| 40 | NPL Documents | NPL_RajEtAl_UseOfWoodFibersInThermoplasticsVII.pdf | 720284 | no | 16 |
| Warnings: | | | | | |
| The page size in the PDF is too large. The pages should be 8.5 x 11 or A4. If this PDF is submitted, the pages will be resized upon entry into the Image File Wrapper and may affect subsequent processing | | | | | |

| | | | | | |
|--|---------------|--|--------|----|---|
| Information: | | | | | |
| 41 | NPL Documents | NPL_Redbook_PlasticsCompounding.pdf | 163925 | no | 2 |
| Warnings: | | | | | |
| Information: | | | | | |
| 42 | NPL Documents | NPL_Reineke_WoofFlour.pdf | 413843 | no | 7 |
| Warnings: | | | | | |
| Information: | | | | | |
| 43 | NPL Documents | NPL_ResinStretchingAccentOnPerformance_ModernPlasticInternational.pdf | 306307 | no | 3 |
| Warnings: | | | | | |
| Information: | | | | | |
| 44 | NPL Documents | NPL_RobsonEtAl_AComparisonOfWoodAndPlantFiberProperties.pdf | 445350 | no | 6 |
| Warnings: | | | | | |
| Information: | | | | | |
| 45 | NPL Documents | NPL_RogalskiEtAl_PolyVinylChlorideWoodFiberComposites.pdf | 254888 | no | 3 |
| Warnings: | | | | | |
| The page size in the PDF is too large. The pages should be 8.5 x 11 or A4. If this PDF is submitted, the pages will be resized upon entry into the Image File Wrapper and may affect subsequent processing | | | | | |
| Information: | | | | | |
| 46 | NPL Documents | NPL_RoyalGroupTechnologies_NewCompositeBuildingMaterialAddsTheRightMixOfBeautyAndBrawn.pdf | 230366 | no | 3 |
| Warnings: | | | | | |
| Information: | | | | | |
| 47 | NPL Documents | NPL_SchneiderEtAl_BiofibersAsReinforcingFillersInThermoplasticComposites.pdf | 402911 | no | 6 |
| Warnings: | | | | | |
| Information: | | | | | |
| 48 | NPL Documents | NPL_Schut_CompatibilizingMixedPostConsumerPlastics.pdf | 76334 | no | 1 |
| Warnings: | | | | | |
| Information: | | | | | |

| | | | | | |
|---|---------------|--|----------|----|----|
| 49 | NPL Documents | NPL_SimonsenEtAl_WoodFiberReinforcementOfStyreneMaleicAnhydrideCopolymers.pdf | 534667 | no | 7 |
| Warnings: | | | | | |
| Information: | | | | | |
| 50 | NPL Documents | NPL_SonwoodANewPCTWoodFlourAlloyForExtrusionsAndOtherPlasticProcessingTechniques.pdf | 1008694 | no | 12 |
| Warnings: | | | | | |
| Information: | | | | | |
| 51 | NPL Documents | NPL_SonwoodOutline_SonessonPlastAB.pdf | 195495 | no | 4 |
| Warnings: | | | | | |
| Information: | | | | | |
| Total Files Size (in bytes): | | | 32333079 | | |
| <p>This Acknowledgement Receipt evidences receipt on the noted date by the USPTO of the indicated documents, characterized by the applicant, and including page counts, where applicable. It serves as evidence of receipt similar to a Post Card, as described in MPEP 503.</p> <p><u>New Applications Under 35 U.S.C. 111</u> If a new application is being filed and the application includes the necessary components for a filing date (see 37 CFR 1.53(b)-(d) and MPEP 506), a Filing Receipt (37 CFR 1.54) will be issued in due course and the date shown on this Acknowledgement Receipt will establish the filing date of the application.</p> <p><u>National Stage of an International Application under 35 U.S.C. 371</u> If a timely submission to enter the national stage of an international application is compliant with the conditions of 35 U.S.C. 371 and other applicable requirements a Form PCT/DO/EO/903 indicating acceptance of the application as a national stage submission under 35 U.S.C. 371 will be issued in addition to the Filing Receipt, in due course.</p> | | | | | |